

Amendments to the Claims

1. (Canceled).
2. (Canceled).
3. (Previously presented) An electronic service manual display program, which permits a computer to provide a function for displaying, on a display device, information that is related to parts and that is used for a predetermined product constituted by an electric circuit or an electronic circuit employing said parts as components, and at the least either a board diagram that represents not only a board used for said predetermined product but also said parts mounted on said board, or a circuit diagram that represents a circuit provided on said board, and which permits said computer to perform the steps of:
 - displaying an index page display area for displaying an index page on which a list of names for, at the least, either said board or said circuit is published;
 - displaying a parts table page display area for displaying a parts table page on which a list of said parts is published;
 - displaying a drawing display area to display a drawing, at the least, either a board diagram for said board or a circuit diagram for said circuit;
 - displaying said index page in said index page display area;
 - displaying said parts table page in said parts table page display area;
 - establishing in advance, for each of said names published on said index page, index page information, which is drawing identification information for said drawing corresponding to said names, and when one of said names displayed in said index page display area is selected, obtaining from said index page information said drawing identification information that is designated for said selected name;
 - when said thus obtained drawing identification information is information for a designation of said board diagram or said circuit diagram, searching for and displaying,

in said drawing display area, said board diagram or said circuit diagram that corresponds to said drawing identification information;

when said drawing identification information thus obtained is information for a designation of both said board diagram and said circuit diagram, dividing said drawing display area into first and second display areas and searching for and displaying, in said first and second display areas, said board diagram and said circuit diagram that correspond to said drawing identification information;

establishing in advance, for each graphics primitive that is a constituent of said drawing, graphics primitive information, which is part identification information corresponding to each of said parts, and when one of said graphics primitives in said drawing displayed in said drawing display area is selected, obtaining drawing identification information designated for said drawing in which said graphics primitive is selected, obtaining from said graphics primitive information said part identification information designated for said selected graphics primitive, and enhancing and displaying said graphics primitive that is selected;

establishing in advance, for each of said parts published on said parts table page, parts table page information that includes part identification information corresponding to said part and drawing identification information corresponding to said drawing that shows said part as a graphics primitive, searching for said parts table page information that includes the same part identification information as designated for said graphics primitive selected in said drawing, obtaining said drawing identification information from said parts table page information that has been found, and enhancing and displaying, in said parts table page display area, a part corresponding to said graphics primitive that is selected; and

when said drawing identification information obtained from said parts table page information is information for a designation of both said board diagram and said circuit diagram, and when drawings are shown in said first and said second display areas, obtaining drawing identification information for a drawing displayed in one display area that is not a location whereat a drawing that includes said selected graphics primitive is shown, and when said drawing identification information for said drawing in said display

area is included in said drawing identification information obtained from said parts table page information, enhancing and displaying a graphics primitive in said display area that corresponds to said graphics primitive that has been selected, or when said drawing identification information for said drawing in said display area is not included in said drawing identification information obtained from said parts table page information, obtaining drawing information identification, from said drawing identification information acquired from said parts table page information, that differs from said drawing identification information provided for said drawing shown in the remaining display area, reading and displaying, in said display area, said drawing that corresponds to said drawing identification information, and enhancing and displaying a graphics primitive in said display area that corresponds to said graphics primitive that is selected.

4. (Canceled).

5. (Canceled).

6. (Previously presented) A recording medium on which recorded is an electronic service manual display program, which permits a computer to provide a function for displaying, on a display device, information that is related to parts and that is used for a predetermined product constituted by an electric circuit or an electronic circuit employing said parts as components, and at the least either a board diagram that represents not only a board used for said predetermined product but also said parts mounted on said board, or a circuit diagram that represents a circuit provided on said board, and which permits said computer to perform the steps of:

displaying an index page display area for displaying an index page on which a list of names for, at the least, either said board or said circuit is published;

displaying a parts table page display area for displaying a parts table page on which a list of said parts is published;

displaying a drawing display area to display a drawing, at the least, either a board diagram for said board or a circuit diagram for said circuit;

displaying said index page in said index page display area;

displaying said parts table page in said parts table page display area;

establishing in advance, for each of said names published on said index page, index page information, which is drawing identification information for said drawing corresponding to said names, and when one of said names displayed in said index page display area is selected, obtaining from said index page information said drawing identification information that is designated for said selected name;

when said thus obtained drawing identification information is information for a designation of said board diagram or said circuit diagram, searching for and displaying, in said drawing display area, said board diagram or said circuit diagram that corresponds to said drawing identification information;

when said drawing identification information thus obtained is information for a designation of both said board diagram and said circuit diagram, dividing said drawing display area into first and second display areas and searching for and displaying, in said first and second display areas, said board diagram and said circuit diagram that correspond to said drawing identification information;

establishing in advance, for each graphics primitive that is a constituent of said drawing, graphics primitive information, which is part identification information corresponding to each of said parts, and when one of said graphics primitives in said drawing displayed in said drawing display area is selected, obtaining drawing identification information designated for said drawing in which said graphics primitive is selected, obtaining from said graphics primitive information said part identification information designated for said selected graphics primitive, and enhancing and displaying said graphics primitive that is selected;

establishing in advance, for each of said parts published on said parts table page, parts table page information that includes part identification information corresponding to said part and drawing identification information corresponding to said drawing that shows said part as a graphics primitive, searching for said parts table page information that includes the same part identification information as designated for said graphics primitive selected in said drawing, obtaining said drawing identification

information from said parts table page information that has been found, and enhancing and displaying, in said parts table page display area, a part corresponding to said graphics primitive that is selected; and

when said drawing identification information obtained from said parts table page information is information for a designation of both said board diagram and said circuit diagram, and when drawings are shown in said first and said second display areas, obtaining drawing identification information for a drawing displayed in one display area that is not a location whereat a drawing that includes said selected graphics primitive is shown, and when said drawing identification information for said drawing in said display area is included in said drawing identification information obtained from said parts table page information, enhancing and displaying a graphics primitive in said display area that corresponds to said graphics primitive that has been selected, or when said drawing identification information for said drawing in said display area is not included in said drawing identification information obtained from said parts table page information, obtaining drawing information identification, from said drawing identification information acquired from said parts table page information, that differs from said drawing identification information provided for said drawing shown in the remaining display area, reading and displaying, in said display area, said drawing that corresponds to said drawing identification information, and enhancing and displaying a graphics primitive in said display area that corresponds to said graphics primitive that is selected.

7. (Canceled).

8. (Canceled).

9. (Previously presented) An electronic service manual display control method, for displaying, on a display device, information that is related to parts and that is used for a predetermined product constituted by an electric circuit or an electronic circuit employing said parts as components, and at the least either a board diagram that represents not only a board used for said predetermined product but also said parts

mounted on said board, or a circuit diagram that represents a circuit provided on said board, comprising the steps of:

- displaying an index page display area for displaying an index page on which a list of names for, at the least, either said board or said circuit is published;

- displaying a parts table page display area for displaying a parts table page on which a list of said parts is published;

- displaying a drawing display area to display a drawing, at the least, either a board diagram for said board or a circuit diagram for said circuit;

- displaying said index page in said index page display area;

- displaying said parts table page in said parts table page display area;

- establishing in advance, for each of said names published on said index page, index page information, which is drawing identification information for said drawing corresponding to said names, and when one of said names displayed in said index page display area is selected, obtaining from said index page information said drawing identification information that is designated for said selected name;

- when said thus obtained drawing identification information is information for a designation of said board diagram or said circuit diagram, searching for and displaying, in said drawing display area, said board diagram or said circuit diagram that corresponds to said drawing identification information;

- when said drawing identification information thus obtained is information for a designation of both said board diagram and said circuit diagram, dividing said drawing display area into first and second display areas and searching for and displaying, in said first and second display areas, said board diagram and said circuit diagram that correspond to said drawing identification information;

- establishing in advance, for each graphics primitive that is a constituent of said drawing, graphics primitive information, which is part identification information corresponding to each of said parts, and when one of said graphics primitives in said drawing displayed in said drawing display area is selected, obtaining drawing identification information designated for said drawing in which said graphics primitive is selected, obtaining from said graphics primitive information said part identification

information designated for said selected graphics primitive, and enhancing and displaying said graphics primitive that is selected;

establishing in advance, for each of said parts published on said parts table page, parts table page information that includes part identification information corresponding to said part and drawing identification information corresponding to said drawing that shows said part as a graphics primitive, searching for said parts table page information that includes the same part identification information as designated for said graphics primitive selected in said drawing, obtaining said drawing identification information from said parts table page information that has been found, and enhancing and displaying, in said parts table page display area, a part corresponding to said graphics primitive that is selected; and

when said drawing identification information obtained from said parts table page information is information for a designation of both said board diagram and said circuit diagram, and when drawings are shown in said first and said second display areas, obtaining drawing identification information for a drawing displayed in one display area that is not a location whereat a drawing that includes said selected graphics primitive is shown, and when said drawing identification information for said drawing in said display area is included in said drawing identification information obtained from said parts table page information, enhancing and displaying a graphics primitive in said display area that corresponds to said graphics primitive that has been selected, or when said drawing identification information for said drawing in said display area is not included in said drawing identification information obtained from said parts table page information, obtaining drawing information identification, from said drawing identification information acquired from said parts table page information, that differs from said drawing identification information provided for said drawing shown in the remaining display area, reading and displaying, in said display area, said drawing that corresponds to said drawing identification information, and enhancing and displaying a graphics primitive in said display area that corresponds to said graphics primitive that is selected.

10. (Canceled).

11. (Canceled).

12. (Previously presented) An electronic service manual display control apparatus, for displaying, on a display device, information that is related to parts and that is used for a predetermined product constituted by an electric circuit or an electronic circuit employing said parts as components, and at the least either a board diagram that represents not only a board used for said predetermined product but also said parts mounted on said board, or a circuit diagram that represents a circuit provided on said board, comprising:

means for displaying an index page display area for displaying an index page on which a list of names for, at the least, either said board or said circuit is published;

means for displaying a parts table page display area for displaying a parts table page on which a list of said parts is published;

means for displaying a drawing display area to display a drawing, at the least, either a board diagram for said board or a circuit diagram for said circuit;

means for displaying said index page in said index page display area;

means for displaying said parts table page in said parts table page display area;

means for establishing in advance, for each of said names published on said index page, index page information, which is drawing identification information for said drawing corresponding to said names, and for, when one of said names displayed in said index page display area is selected, obtaining from said index page information said drawing identification information that is designated for said selected name;

means for, when said thus obtained drawing identification information is information for a designation of said board diagram or said circuit diagram, searching for and displaying, in said drawing display area, said board diagram or said circuit diagram that corresponds to said drawing identification information;

means for, when said drawing identification information thus obtained is information for a designation of both said board diagram and said circuit diagram, dividing said drawing display area into first and second display areas, and for searching

for and displaying, in said first and second display areas, said board diagram and said circuit diagram that correspond to said drawing identification information;

means for establishing in advance, for each graphics primitive that is a constituent of said drawing, graphics primitive information, which is part identification information corresponding to each of said parts, and for, when one of said graphics primitives in said drawing displayed in said drawing display area is selected, obtaining drawing identification information designated for said drawing in which said graphics primitive is selected, obtaining from said graphics primitive information said part identification information designated for said selected graphics primitive, and enhancing and displaying said graphics primitive that is selected;

means for establishing in advance, for each of said parts published on said parts table page, parts table page information that includes part identification information corresponding to said part and drawing identification information corresponding to said drawing that shows said part as a graphics primitive, for searching for said parts table page information that includes the same part identification information as designated for said graphics primitive selected in said drawing, for obtaining said drawing identification information from said parts table page information that has been found, and for enhancing and displaying, in said parts table page display area, a part corresponding to said graphics primitive that is selected; and

means for, when said drawing identification information obtained from said parts table page information is information for a designation of both said board diagram and said circuit diagram, and when drawings are shown in said first and said second display areas, obtaining drawing identification information for a drawing displayed in one display area that is not a location whereat a drawing that includes said selected graphics primitive is shown, and for, when said drawing identification information for said drawing in said display area is included in said drawing identification information obtained from said parts table page information, enhancing and displaying a graphics primitive in said display area that corresponds to said graphics primitive that has been selected, or for, when said drawing identification information for said drawing in said display area is not included in said drawing identification information obtained from said

parts table page information, obtaining drawing information identification, from said drawing identification information acquired from said parts table page information, that differs from said drawing identification information provided for said drawing shown in the remaining display area, reading and displaying, in said display area, said drawing that corresponds to said drawing identification information, and enhancing and displaying a graphics primitive in said display area that corresponds to said graphics primitive that is selected.

13-24. (Canceled).